



www.medallionrefinish.com

5751 N. Webster Street
Dayton, OH 45414-0802
Phone 937-890-6547
Toll Free 800-257-6547
Fax 937-890-6320


MRS-151

TECHNICAL DATA

Moisture Scavenger

DESCRIPTION:

MRS-151 Moisture Scavenger is a 2K urethane additive used in hot/humid weather to eliminate blushing, solvent popping, die back and removes moisture from the film.



FEATURES:

- ✓ Removes water/moisture from film
- ✓ Eliminates blushing
- ✓ Improves flow and leveling in high temperatures conditions
- ✓ Increase DOI and gloss
- ✓ Minimizes solvent popping
- ✓ Eliminates die-back



INSTRUCTIONS:

Shake **MRS-151 Moisture Scavenger** thoroughly before mixing.

MIXING:

Mix clearcoat according to label instructions. Add 2 capfuls (0.75 oz.) of **MRS-151 Moisture Scavenger** per mixed (ready-to-spray) clearcoat.



APPLICATION:

Apply product according to label instructions.

RUBBER-SEAL®

Medallion™
Refinish System




www.medallionrefinish.com

5751 N. Webster Street
Dayton, OH 45414-0802
Phone 937-890-6547
Toll Free 800-257-6547
Fax 937-890-6320

TECHNICAL DATA

Color	Water Clear
Activator/Hardener	N/A
Reducer	
Mix Ratio	0.75 oz. / sprayable quart
Pot Life	N/A
Number of Coats	N/A
Flash Time	N/A
Recoat w/o sanding	N/A
Dry to Sand	N/A
Air Dry 70°F (21°C) 50% RH	N/A
Force Dry	N/A
Gun Set-Up Gravity Feed (HVLP)	N/A
Air Pressure @ Gun (HVLP)	8 – 10 psi
Air Pressure @ Gun (Conventional)	40 -45 psi
V.O.C. Limit	N/A
Sprayable V.O.C.*	
Actual	2.0 lbs/gal (239g/l)
Regulatory	2.0 lbs/gal (239 g/l)
% Solids Sprayable by Weight	
Cov. Sq. Ft. / gal @ 1 mil*	N/A
Package	4 oz.
Number per case	6
Shelf Life	8 months



RUBBER-SEAL®
Material Safety Data Sheet (MSDS) is available on our website
www.medallionrefinish.com

MedallionTM
Refinish System