

RUBBER-SEAL®

Medallion™

Refinish System



INDASA SANDPAPER CATALOG

medallionrefinish.com





RUBBER-SEAL®

Medallion™

Refinish System

Rubber-Seal Products originated the concept of systematized autobody sealing procedures in 1948. Over the years we have transitioned to manufacturing and distributing products for nearly every aspect of the automotive repair process. Along this transition Medallion Refinish System emerged as our flagship brand and represents the quality and consistency that was established over our first half century. As the automotive aftermarket continues to evolve, here at Rubber-Seal Medallion Refinish System, we believe that our strength lies in the promise we have kept for so many years...

“Quality Products Since 1948”

medallionrefinish.com





REDLINE XL RHYNOWET SHEETS • 9" x 11"

Wet/Dry Sanding sheets (aluminum oxide). 50 per pack. Available in five-pack cases.

IN-6-80	80 Grit	IN-6-400	400 Grit
<i>IN-6-100</i>	<i>100 Grit SO</i>	IN-6-500	500 Grit
<i>IN-6-120</i>	<i>120 Grit SO</i>	IN-6-600	600 Grit
<i>IN-6-150</i>	<i>150 Grit SO</i>	IN-6-800	800 Grit
IN-6-180	180 Grit	IN-6-1000	1000 Grit
IN-6-220	220 Grit	IN-6-1200	1200 Grit
<i>IN-6-240</i>	<i>240 Grit SO</i>	IN-6-1500	1500 Grit
<i>IN-6-280</i>	<i>280 Grit SO</i>	IN-6-2000	2000 Grit
IN-6-320	320 Grit	IN-6-2500	2500 Grit
<i>IN-6-360</i>	<i>360 Grit SO</i>		



REDLINE XL RHYNOWET SHEETS • 5 1/2" x 9"

Wet/Dry Sanding half-sheets (aluminum oxide). 50 per pack. Available in five-pack cases.

IN-7-1000	1000 Grit	IN-7-2000	2000 Grit
IN-7-1200	1200 Grit	IN-7-2500	2500 Grit
IN-7-1500	1500 Grit		



REDLINE XL RHYNOGRIP VELCRO® - SOLID DISCS • 3"

3" Aluminum Oxide sanding discs with a Velcro® backing. 50 per pack. Available in ten-pack cases.

IN-320-40	40 Grit	IN-320-400	400 Grit
IN-320-80	80 Grit	IN-320-500	500 Grit
<i>IN-320-100</i>	<i>100 Grit SO</i>	IN-320-600	600 Grit
<i>IN-320-120</i>	<i>120 Grit SO</i>	IN-320-800	800 Grit
IN-320-150	150 Grit	<i>IN-320-1000</i>	<i>1000 Grit SO</i>
IN-320-180	180 Grit	<i>IN-320-1200</i>	<i>1200 Grit SO</i>
IN-320-220	220 Grit	IN-320-1500	1500 Grit
IN-320-240	240 Grit	IN-320-2000	2000 Grit
IN-320-320	320 Grit	<i>IN-320-3000MF</i>	<i>3000 Grit SO</i>



REDLINE XL SELF-ADHESIVE SOLID DISCS • 5"

5" sanding discs with a self-adhesive backing. Available in ten-pack cases.

Aluminum Oxide: (50 Per Pack)

IN-500-40	40 Grit
-----------	---------

Aluminum Oxide Plus Stearate: (100 Per Pack)

IN-500-80	80 Grit	<i>IN-500-280</i>	<i>280 Grit SO</i>
<i>IN-500-100</i>	<i>100 Grit SO</i>	IN-500-320	320 Grit
IN-500-120	120 Grit	IN-500-400	400 Grit
IN-500-150	150 Grit	<i>IN-500-500</i>	<i>500 Grit SO</i>
IN-500-180	180 Grit	IN-500-600	600 Grit
IN-500-220	220 Grit	<i>IN-500-800</i>	<i>800 Grit SO</i>
IN-500-240	240 Grit		



REDLINE XL RHYNOGRIP VELCRO® SOLID DISCS • 5"

5" Aluminum Oxide sanding discs with a Velcro® backing. 50 per pack. Also available in ten-pack cases.

IN-510-80	80 Grit	IN-510-400	400 Grit
<i>IN-510-100</i>	<i>100 Grit SO</i>	<i>IN-510-500</i>	<i>500 Grit SO</i>
IN-510-120	120 Grit	IN-510-600	600 Grit
<i>IN-510-150</i>	<i>150 Grit SO</i>	<i>IN-510-800</i>	<i>800 Grit SO</i>
IN-510-180	180 Grit	<i>IN-510-1000</i>	<i>1000 Grit SO</i>
IN-510-220	220 Grit	<i>IN-510-1200</i>	<i>1200 Grit SO</i>
IN-510-320	320 Grit	<i>IN-510-1500</i>	<i>1500 Grit SO</i>



REDLINE XL SELF-ADHESIVE SOLID DISCS • 5" LINK-ROLL

5" Aluminum Oxide and Stearate sanding discs with a self-adhesive backing. 100 per roll. Also available in ten-roll cases.

IN-500-80LR	80 Grit	<i>IN-500-220LR</i>	<i>220 Grit SO</i>
<i>IN-500-100LR</i>	<i>100 Grit SO</i>	<i>IN-500-240LR</i>	<i>240 Grit SO</i>
IN-500-120LR	120 Grit	IN-500-320LR	320 Grit
IN-500-150LR	150 Grit	<i>IN-500-400LR</i>	<i>400 Grit SO</i>
IN-500-180LR	180 Grit		

REDLINE XL SELF-ADHESIVE SOLID DISCS • 6"

6" sanding discs with a self-adhesive backing. Available in ten-pack cases, except IN-600-36 (five-pack case).



Aluminum Oxide: (50 Per Pack)

IN-600-36	36 Grit	IN-600-40	40 Grit
-----------	---------	-----------	---------

Aluminum Oxide Plus Stearate: (100 Per Pack)

IN-600-80	80 Grit	<i>IN-600-280</i>	<i>280 Grit SO</i>
IN-600-100	100 Grit	IN-600-320	320 Grit
IN-600-120	120 Grit	<i>IN-600-360</i>	<i>360 Grit SO</i>
IN-600-150	150 Grit	IN-600-400	400 Grit
IN-600-180	180 Grit	<i>IN-600-500</i>	<i>500 Grit SO</i>
IN-600-220	220 Grit	IN-600-600	600 Grit
IN-600-240	240 Grit	IN-600-800	800 Grit



REDLINE XL SELF-ADHESIVE SOLID DISCS • 6" • LINK-ROLL

6" Aluminum Oxide sanding discs with a self-adhesive backing. 100 per pack. Available in ten-pack cases.

IN-600-80LR	80 Grit	<i>IN-600-240LR</i>	<i>240 Grit SO</i>
<i>IN-600-100LR</i>	<i>100 Grit SO</i>	IN-600-320LR	320 Grit
<i>IN-600-120LR</i>	<i>120 Grit SO</i>	IN-600-400LR	400 Grit
IN-600-150LR	150 Grit	IN-600-600LR	600 Grit
IN-600-180LR	180 Grit	<i>IN-600-800LR</i>	<i>800 Grit SO</i>
IN-600-220LR	220 Grit		

REDLINE XL SELF-ADHESIVE SOLID DISCS • 6"

6" sanding discs with a Velcro® backing. 50 per pack. Available in ten-pack cases.



Aluminum Oxide: (50 Per Pack)

IN-620-36	36 Grit	IN-620-40	40 Grit
-----------	---------	-----------	---------

Aluminum Oxide Plus Stearate: (100 Per Pack)

IN-620-80	80 Grit	IN-620-400	400 Grit
IN-620-100	100 Grit	IN-620-500	500 Grit
<i>IN-620-120</i>	<i>120 Grit SO</i>	IN-620-600	600 Grit
IN-620-150	150 Grit	IN-620-800	800 Grit
IN-620-180	180 Grit	IN-620-1000	1000 Grit
IN-620-220	220 Grit	IN-620-1200	1200 Grit
IN-620-240	240 Grit	IN-620-1500	1500 Grit
IN-620-320	320 Grit	IN-620-2000	2000 Grit
		IN-620-3000MF	3000 Grit



REDLINE XL VELCRO® SIX HOLE VACCUM DISCS • 6"

6" Aluminum Oxide and Stearate sanding discs with a Velcro® backing. Vaccum discs provide a dust free working environment. 50 per pack. Available in ten-pack cases.

<i>IN-630-40</i>	<i>40 Grit SO</i>	<i>IN-630-220</i>	<i>220 Grit SO</i>
IN-630-80	80 Grit	<i>IN-630-240</i>	<i>240 Grit SO</i>
<i>IN-630-100</i>	<i>100 Grit SO</i>	IN-630-320	320 Grit
<i>IN-630-120</i>	<i>120 Grit SO</i>	<i>IN-630-400</i>	<i>400 Grit SO</i>
<i>IN-630-150</i>	<i>150 Grit SO</i>	<i>IN-630-500</i>	<i>500 Grit SO</i>
IN-630-180	180 Grit		



REDLINE XL SELF-ADHESIVE SOLID DISCS • 8"

8" Aluminum Oxide sanding discs with a Velcro® backing. 50 per pack. Available in five-pack cases.

Aluminum Oxide:

IN-800-36	36 Grit	<i>IN-800-60</i>	<i>60 Grit SO</i>
IN-800-40	40 Grit		

Aluminum Oxide Plus Stearate:

IN-800-80	80 Grit	<i>IN-800-220</i>	<i>220 Grit SO</i>
<i>IN-800-100</i>	<i>100 Grit SO</i>	<i>IN-800-320</i>	<i>320 Grit SO</i>
<i>IN-800-120</i>	<i>120 Grit SO</i>	<i>IN-800-400</i>	<i>400 Grit SO</i>
<i>IN-800-180</i>	<i>180 Grit SO</i>	<i>IN-800-600</i>	<i>600 Grit SO</i>



REDLINE XL SELF-ADHESIVE SOLID DISCS • 8"

8" Aluminum Oxide sanding discs with a Velcro® backing. 50 per pack. Available in five-pack cases.

Aluminum Oxide:

IN-820-36	36 Grit	IN-820-60	60 Grit
<i>IN-820-40</i>	<i>40 Grit SO</i>		

Aluminum Oxide Plus Stearate:

IN-820-80	80 Grit	<i>IN-820-320</i>	<i>320 Grit SO</i>
IN-820-100	100 Grit	IN-820-400	400 Grit
<i>IN-820-120</i>	<i>120 Grit SO</i>	<i>IN-820-800</i>	<i>800 Grit SO</i>
IN-820-150	150 Grit	IN-820-1200	1200 Grit
<i>IN-820-180</i>	<i>180 Grit SO</i>	<i>IN-820-1500</i>	<i>1500 Grit SO</i>
<i>IN-820-220</i>	<i>220 Grit SO</i>		



REDLINE XL LONG BOARD STRIPS • 2¾" x 17½"

2¾" x 17½" non-adhesive sanding strips with a natural backing. 50 per pack. Available in ten-pack cases.

Aluminum Oxide:

IN-900-36	36 Grit	<i>IN-900-60</i>	<i>60 Grit SO</i>
IN-900-40	40 Grit		

Aluminum Oxide Plus Stearate:

IN-900-80	80 Grit	<i>IN-900-180</i>	<i>180 Grit SO</i>
<i>IN-900-100</i>	<i>100 Grit SO</i>	<i>IN-900-320</i>	<i>320 Grit SO</i>



REDLINE XL SELF-ADHESIVE LONG BOARD STRIPS • 2¾" x 16½"

2¾" x 16½" sanding strips with a self-adhesive backing. 50 per pack. Available in ten-pack cases.

Aluminum Oxide:

IN-920-36	36 Grit	<i>IN-920-60</i>	<i>60 Grit SO</i>
IN-920-40	40 Grit		

Aluminum Oxide Plus Stearate:

IN-920-80	80 Grit	IN-920-180	180 Grit
<i>IN-920-100</i>	<i>100 Grit SO</i>	<i>IN-920-220</i>	<i>220 Grit SO</i>
<i>IN-920-120</i>	<i>120 Grit SO</i>	<i>IN-920-320</i>	<i>320 Grit SO</i>



REDLINE XL VELCRO® LONG BOARD STRIPS • 2¾" x 16½"

2¾" x 16½" sanding strips with a Velcro® backing. 50 per pack. Available in ten-pack cases.

Aluminum Oxide: (*IN-950-36 packaged in cases of 5)

IN-950-36	36 Grit	<i>IN-950-60</i>	<i>60 Grit SO</i>
<i>IN-950-40</i>	<i>40 Grit SO</i>		

Aluminum Oxide Plus Stearate:

IN-950-80	80 Grit	IN-950-180	180 Grit
<i>IN-950-100</i>	<i>100 Grit SO</i>	<i>IN-950-220</i>	<i>220 Grit SO</i>
<i>IN-950-120</i>	<i>120 Grit SO</i>	<i>IN-950-320</i>	<i>320 Grit SO</i>
<i>IN-950-150</i>	<i>150 Grit SO</i>		

REDLINE XL SELF-ADHESIVE LONG BOARD ROLLS • 2¾" x 25 METERS
 2¾" x 25 meter rolls with a self-adhesive backing. Available in five-pack cases.



Aluminum Oxide:

IN-960-36	36 Grit	<i>IN-960-60</i>	<i>60 Grit SO</i>
IN-960-40	40 Grit		

Aluminum Oxide Plus Stearate:

IN-960-80	80 Grit	IN-960-220	220 Grit
IN-960-100	100 Grit	<i>IN-960-240</i>	<i>240 Grit SO</i>
IN-960-120	120 Grit	IN-960-320	320 Grit
IN-960-150	150 Grit	IN-960-400	400 Grit
IN-960-180	180 Grit		

RHYNO SPONGE PADS

4½" x 5½" hand sponge pads are perfect for hard to sand areas. Available in four grit sizes, this superior pad provides the finishing touch to any sanding job. 20 per pack. Also available in four-pack cases. MUST BE USED IN A WET APPLICATION.



IN-3000-MED	Medium	IN-3000-SF	Super Fine
IN-3000-FIN	Fine	IN-3000-MF	Micro Fine

RHYNOCELL DISCS


6", 150mm thick microcell foam structure with special grip cloth backing. Designed to be used dry, excellent on all types of clearcoat.



IN-552125-3000 3000 Grit

VELCRO® INTERFACE PADS

These ¾" thick interface pads feature a hook texture on one side and are looped on the other. Thick padding makes it easy to sand curved and angled body panels.



IN-IFP-5	5"
IN-IFP-6	6"
IN-IFP-8	8"

Backing Pad

Features a cushioned polyurethane foam construction with a tapered edge, making this pad great for sanding against concave and convex surfaces. Switch between sanding discs quickly and effortlessly with the hook & loop surface. The high-density polyurethane foam helps reduce the transfer of heat to the painted surface and also increases the life of the pad.



IN-5-DAP	5" DA Pad	IN-6-DAP	6" DA Pad
IN-5-VP	5" Velcro	IN-6-VP	6" Velcro

ERGONOMIC SANDING PADS

Strong, durable molded hand sanders. Ergonomically enhanced, reducing fatigue while increasing productivity. A must for any workspace. Choose between PSA and Velcro Grip backing.



IN-9300	5" PSA
IN-9400	5" Velcro
IN-9500	6" PSA
IN-9600	6" Velcro

NOTES



RUBBER-SEAL®

Medallion™

Refinish System

Rubber-Seal Products

5751 N. Webster Street

Dayton, Ohio 45414

Phone: 937-890-6547

Toll Free: 800-257-6547

Fax: 937-890-6320

Southwest Warehouse

265 Koomey Road

Brookshire, Texas 77423

Phone: 281-829-9190

Toll Free: 877-558-9658

Fax: 281-828-9699

Southeast Warehouse

999 N. Burnt Hickory Road

Douglasville, Georgia 30134

Phone: 678-715-4550

Fax: 678-715-4551

LIT-35
Indasa Catalog

medallionrefinish.com

