

www.medallionrefinish.com

5751 N. Webster Street Dayton, OH 45414-0802 Dayton 937-890-6547 Toll Free 800-257-6547 Fax 937-890-6320

MRS-155

TECHNICAL DATA

2.1 V.O.C. "Rapid Cure" Accelerated Reducer

DESCRIPTION:

MRS-155 2.1 V.O.C. "Rapid Cure" Accelerated Reducer is a universal reducer designed to accelerate cure times for faster thru-put on single and multi-panel repairs. This reducer can be used in most of the Medallion™ Refinish System acrylic urethane clearcoats.



FEATURES:

- Reduces dry-to-sand times by 50%
- Slightly shortens useable potlife
- ✓ Used in temperatures 70°F (21.1°C) and below
- ✓ Add 5% to sprayable material
- Does not sacrifice flow, gloss, DOI or blending of clearcoats
- Does not sacrifice sprayability, flow, featheredging or sand ability of primer surfacers





INSTRUCTIONS:

Shake MRS-155 2.1 V.O.C. "Rapid Cure" Accelerated Reducer thoroughly before mixing.

MIXING:

Mix clearcoat according to label instructions. Add MRS-155 2.1 V.O.C. "Rapid Cure" Accelerated Reducer at a rate of 5%. For 8 ozs. of ready to spray material add 1 capful for 5%.



APPLICATION:

Apply product according to label instructions.

NOTE: Should not be used in temperatures above 70°F (21.1°C). Do not use on overall paint jobs. MRS-155 is designed for 1-3 panel repairs.

Health and Safety:

- See Material Safety Data Sheet and labels for additional safety information and handling instructions.
- The contents of this package may have to be blended with other components before the product can be used. Before opening the packages, be sure you understand the warning messages on the labels and MSDS's of all components, since the mixture will have the hazards of all its parts.
- * Improper handling and use, for example, poor spray technique, inadequate engineering controls and or lack of Personal Protective Equipment (PPE), may result in hazardous conditions or
- Follow spray equipment manufacturer's instructions to prevent personal injury or fire.
- * Provide adequate ventilation for health and fire hazard control
- * Follow company, product MSDS and respirator manufacturer's recommendations for selection and proper use of respiratory protection. Be sure employees are adequately trained on the safe use of respirators per company and regulatory requirements.
- * Wear appropriate P<mark>PE such</mark> as eye and skin protection. In th<mark>e event o</mark>f injury, see first aid procedures on MSDS
- * Always observe all applicable precautions and follow good safety and hygiene practices.
- * Material Safety Data Sheets are available at www.medallionrefinish.com.

Material Safety Data Sheet (MSDS) is available on our website www.medallionrefinish.com