


PRODUCT DESCRIPTION **RS-2056 Top Gun II Accelerator** is designed for use in all 2K urethane finishes. Add to each new can of isocyanate activator. Then mix according to manufacturer's instructions with appropriate clearcoat or primer. **RS-2056** has no effect on the shelf life of activators and has little effect on pot life of ready-to-spray primers or clearcoats. It speeds up cure-through times by 30-50 percent.

**MIXING**

Tip bottle to fill reservoir with desired amount of accelerator. Add accelerator directly to fresh can of urethane activator in the following ratio.

- Standard Activator: 1/2 – 3/4 oz. per Quart
- Medium / High Solids Activator: 3/4 – 1 oz. per Quart

Thoroughly agitate activator before using.

**NOTES**

- Simplifies mixing by adding once to new activator.
- Compatible with any brand of 2K Urethane Primers and Clearcoats.
- Improves cycle times by providing a much faster cure-through.
- Enhances 2K primer properties by improving color holdout and solvent resistance.

**PERSONAL PROTECTION**

- For use by trained professionals only
- Read label, directions and SDS before use
- Wear appropriate Personal Protection Equipment (PPE) while mixing and spraying
- For additional health and safety information refer to the SDS which can be found at www.medallionrefinish.com

HEALTH & SAFETY

See Safety Data Sheet and labels for additional safety information and handling instructions.

- The contents of this package may have to be blended with other components before the product can be used. Before opening the packages, be sure you understand the warning messages on the labels and SDSs of all component, since the mixture will have the hazards of all its parts.
- Improper handling and use, for example, poor spray technique, inadequate engineering controls, and or lack of Personal Protective Equipment (PPE), may result in hazardous conditions or injury.
- Follow spray equipment manufacturer's instructions to prevent personal injury or fire.
- Provide adequate ventilation for health and fire hazard control.
- Follow company, product SDS and respirator manufacturer's recommendations for selection and proper use of respiratory protection. Be sure employees are adequately trained on the safe use of respirators per company and regulatory requirements.
- Wear appropriate PPE such as eye and skin protection. In the event of injury, see first aid procedures on SDS.
- Always observe all applicable precautions and follow good safety and hygiene practice.