

Date Issued

08/06/2020

Barracuda Adhesion Promoter/Sealer

SECTION 1: IDENTIFICATION

Product Name Barracuda Adhesion Promoter/Sealer

Product Code # MRS-1250

Medallion Refinish System Manufacturer

Address 5751 N. Webster Street

Dayton, OH 45414 United States

TECH SUPPORT **Phone** 937-890-6547

937-890-6547 SALES **PHONE** 800-257-6547

CHEMTREC (24HR Emergency Telephone), call: 1-800-424-9300 **Emergency Contact**

International CHEMTREC, call: 1-800-255-3924

CHEMTREC is available days, nights, weekends and holidays.

Website www.medallionrefinish.com

Email info@rubber-seal.net

Recommended Use/Restrictions No Data Available

SECTION 2: HAZARD(S) IDENTIFICATION

Classifications Skin Corrosion: Category 2

Eye Damage/Irritant: Category 2A Flammable Liquid: Category 2 Aquatic Hazard - Acute: Category 3

Pictograms





Signal Word Danger

H225 | Highly flammable liquid and vapour. **Hazard Statements**

H315 | Causes skin irritation.

H319 | Causes serious eye irritation.

H402 | Harmful to aquatic life.

Precautionary Statements P210 | Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P233 | Keep container tightly closed.

P240 | Ground/bond container and receiving equipment.

P241 | Use explosion-proof electrical/ventilating/lighting/other equipment.

P242 | Use only non-sparking tools.

P243 | Take precautionary measures against static discharge.

P264 | Wash any exposed body parts thoroughly after handling.

P273 | Avoid release to the environment.

P280 | Wear protective gloves/protective clothing/eye protection/face protection.
P302 + P352 | IF ON SKIN: Wash with plenty of soap and water.
P303 + P361 + P353 | IF ON SKIN (or hair): Remove/Take off immediately all

contaminated clothing. Rinse skin with water/shower.

P305 + P351 + P338 | IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P321 | Specific treatment (see supplemental first aid instruction on this label if



Date Issued

08/06/2020

Barracuda Adhesion Promoter/Sealer

immediate administration of antidote/specific measures/cleansing agent/immediate measures is/are appropriate/required).

P333 + P313 | If skin irritation or rash occurs: Get medical advice/attention.

P337 + P313 | If eye irritation persists: Get medical advice/attention.

P362 | Take off contaminated clothing and wash before reuse.

P370 + P378 | In case of fire: Use appropriate media for extinction if water increases

P403 + P235 | Store in a well-ventilated place. Keep cool.

P501 | Dispose of contents/container to appropriate waste disposal entity in

accordance with local/regional/national/international regulation.

Percent of the mixture consisting of ingredient(s) of unknown toxicity

To the best of our knowledge, there are no additional ingredient(s) present requiring hazardous reporting or health warnings.

SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

Reportable Components	% of Comp.	CAS No.
Parachlorobenzotriflouride	50 - 65%	98-56-6
Acetone	20 - 30%	67-64-1
N-Butyl Acetate	1% - 5%	123-86-4

SECTION 4: FIRST AID MEASURES

General Advice Have Safety Data Sheet available when calling Poison Control Center

(1-800-222-1222) or physician; or when going to the emergency room.

Eyes Flush eye with plenty of water for 15 minutes, while lifting eyelid. Remove contact

lenses if present and easy to do. Continue rinsing. If irritation persists, get medical

attention.

Skin Wash skin with soap and water. Though not expected, if irritation occurs, get medical

attention.

Inhalation Though not expected, if breathing is difficult, move to fresh air. If difficulty persists, get

medical attention.

Ingestion Irritation may occur. If irritation persists, get medical attention.

SECTION 5: FIRE FIGHTING MEASURES

Fire Hazard No

Extinguishing Media Foam, CO2, Dry Chemical, Water Mist

Special Protective Equipment and Firefighting Procedures Evacuate all unnecessary personnel. Use full protective equipment. Cool closed containers to prevent pressure build-up. Do not allow product or runoff from fire control measures to enter storm or sanitary sewers or waterways.

Unusual Fire & Explosion Material may splatter when heated. Dried film may burn.

Hazardous Combustion Products See Section 10



Date Issued

08/06/2020

Barracuda Adhesion Promoter/Sealer

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions

Avoid any uncontrolled release of material. For personal precautions see section 8.

Spills / Leaks

Where spills are possible, a comprehensive spill response plan should be developed and implemented. Steps to be taken if material is released or spilled are as follows: Utilize recommended protective clothing and equipment. Spills should be swept using proper disposal techniques. For disposal see section 13.

SECTION 7: HANDLING AND STORAGE

Handling Handle in accordance with good industrial hygiene and safety practices. These

practices include avoiding unnecessary exposure and prompt removal of material

from eyes skin and clothing. For precautions see section 2.2.

Storage Store in a sealed container in a cool, dry environment.

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Limits

Chemical Description

Parachlorobenzotriflouride - 98-56-6 - 50 - 65%
OSHA Exposure Limits: No Data Available
ACGIH Exposure Limits: Not Established
OTHER Exposure Limits: No Data Available

Acetone - 67-64-1 - 20 - 30%

OSHA Exposure Limits: No Data Available

ACGIH Exposure Limits: 750 ppm STEL 500 ppm TWA

OTHER Exposure Limits: NIOSH: 250 ppm TWA; 590 mg/m3 TWA

N-Butyl Acetate - 123-86-4 - 1% - 5%
OSHA Exposure Limits: No Data Available

ACGIH Exposure Limits: 200 ppm STEL 150 ppm TWA

OTHER Exposure Limits: NIOSH: 150 ppm TWA; 710 mg/m3 TWA 200 ppm STEL; 950 mg/m3 STEL

Engineering Controls

USE WITH ADEQUATE VENTILATION. Open all doors and windows to achieve cross-ventilation or provide mechanical ventilation in work and surrounding areas. Maintain cross-ventilation during and after application until all vapors and fumes are gone.

Personal Protective Equipment

Hand Wear gloves to prevent skin contact. Wash hands with soap and water after using

and before eating or using tobacco products.

Eyes Wear safety glasses to protect from liquid splash. Ensure eye wash and safety

showers are near workstations.



Barracuda Adhesion Promoter/Sealer

Date Issued

08/06/2020

Skin

Avoid contact with skin.

Respiratory

Ensure fresh air entry during application and drying. Though not expected, increase ventilation if irritation occurs. Wear respirator with particulate filter or dust mask to avoid breathing sanding dusts if needed.



Date Issued

08/06/2020

Barracuda Adhesion Promoter/Sealer

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Viscosity **Appearance** Clear Liquid No Data

12.80 Liquid **Upper Flammability/Explosive Limit Physical State**

0.90 Color Transparent Lower Flammability/Explosive Limit

Odor Organic Solvent Vapor Pressure No Data

2.00 pH value No Data Vapor Density

-138.46F (estimated) Freezing Point (F) Vapor Temperature No Data

132.89F (estimated) Relative Density/Specific Gravity 1.1031 **Boiling Point (F)**

Solubility No Data Flash Point (F) -4.0F (estimated)

Flash Point P Marten **Partition Coefficient** No Data

Evaporation Rate No Data Auto-Ignition Temperature 797F (estimated)

Flammability No **Decomposition Temperature** No Data

SECTION 10: STABILITY AND REACTIVITY

Chemical Reactivity Will not occur.

Chemical Stability Stable.

Conditions to Avoid High temperatures and humidity.

Strong Oxidizing Agents Acids Alkalis Bases **Materials to Avoid**

Hazardous Decomposition Under normal conditions of storage and use, hazardous decomposition products

should not be produced.

SECTION 11: TOXICOLOGICAL INFORMATION

Acute Toxicity

Method Used

Reportable Components

LC50 Inhalation

CAS 98-56-6 - Rat: 33 mg/L CAS 67-64-1 - Rat: 50100 mg/m3 CAS 123-86-4 - Rat: 29.2 mg/L

LD50 Oral

CAS 98-56-6 - Rat : 13 g/kg CAS 67-64-1 - Rat: 5800 mg/kg CAS 123-86-4 - Rat : 14130 mg/kg

LD50 Dermal

CAS 98-56-6 - Rabbit: 2.7 g/kg CAS 67-64-1 - Rat: 20000 mg/kg CAS 123-86-4 - Rabbit: 17600 mg/kg



Barracuda Adhesion Promoter/Sealer

Date Issued

08/06/2020

Inhalation

Description of Effects From Short- and Long-Term Exposure:

Though not expected, vapor and mist may irritate nose, throat, and lungs. Move to fresh air. Dust, sanding dusts and particles may cause nose and throat irritation.

Ingestion

Description of Effects From Short- and Long-Term Exposure:

Swallowing may cause irritation.

Eyes

Description of Effects From Short- and Long-Term Exposure:

Contact with liquid may cause irritation.

Skin

Description of Effects From Short- and Long-Term Exposure:

Contact may cause mild irritation.

Carcinogen Information Carcinogens Listing

Not Applicable.

SECTION 12: ECOLOGICAL INFORMATION

Aquatic Toxicity

Not Applicable.

98-56-6

48 Hr EC50 Daphnia magna: 3.68 mg/L

67-64-1

96 Hr LC50 Oncorhynchus mykiss: 4.74 - 6.33 mL/L; 96 Hr LC50 Pimephales promelas: 6210 - 8120 mg/L [static]; 96 Hr LC50 Lepomis macrochirus: 8300 mg/L 48 Hr EC50 Daphnia magna: 10294 - 17704 mg/L [Static]; 48 Hr EC50 Daphnia magna: 12600 - 12700 mg/L

123-86-4

96 Hr LC50 Lepomis macrochirus: 100 mg/L [static]; 96 Hr LC50 Pimephales promelas: 17 - 19 mg/L [flow-through] 72 Hr EC50 Desmodesmus subspicatus: 674.7 mg/L

Biodegradability No Data

Bioaccumulation No Data

SECTION 13: DISPOSAL CONSIDERATION

Treatment, storage, transportation, and disposal must be in accordance with applicable federal, state/provincial, and local regulations. Regulations may vary by location.



Date Issued

08/06/2020

Barracuda Adhesion Promoter/Sealer

SECTION 14: TRANSPORT INFORMATION					
AGENCY	PROPER SHIPPING NAME	UN NUMBER	PACKING GROUP	HAZARD CLASS	
IATA	Paint or Paint Related Material	1263	II	3	
IMDG	Paint or Paint Related Material	1263	II	3	
USDOT	Paint or Paint Related Material	1263	II	3	

Limited Quantity: For packages not in excess of 5L.

SECTION 15: REGULATORY INFORMATION

TSCA: The following components are listed under TSCA

98-56-6 Parachlorobenzotriflouride 50 - 65% 67-64-1 Acetone 20 - 30% 123-86-4 N-Butyl Acetate 1% - 5%

SARA 311/312:

None

SARA 313:

None

NJ RTK: The following components are listed under NJ RTK

67-64-1 Acetone 20 - 30% 123-86-4 N-Butyl Acetate 1% - 5%

PA RTK: The following components are listed under PA RTK

67-64-1 Acetone 20 - 30% 123-86-4 N-Butyl Acetate 1% - 5%

MA RTK: The following components are listed under MA RTK

67-64-1 Acetone 20 - 30% 123-86-4 N-Butyl Acetate 1% - 5%

California Prop. 65



WARNING:

This product can expose you to chemicals including the chemicals listed below, which is[are] known to the State of California to cause cancer and/or birth defects and/or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Parachlorobenzotriflouride - 98-56-6 - cancer

SECTION 16: OTHER INFORMATION

Issue Date: 08/06/2020



Safety Data Sheet Barracuda Adhesion Promoter/Sealer

Date Issued

08/06/2020

Revision Date: 03/27/2020

DISCLAIMER

THE INFORMATION CONTAINED HEREIN HAS BEEN COMPILED FROM SOURCES CONSIDERED TO BE RELIABLE. TO THE BEST OF OUR KNOWLEDGE AND BELIEF, ALL INFORMATION IS ACCURATE AND IS PROVIDED IN GOOD FAITH. HOWEVER, NO GUARANTEE OF ACCURACY IS MADE OR IMPLIED.